

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20050216428"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 19:06
S2	2	"20040039891"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 18:58
S3	2	"20030229637"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 19:00
S4	2	"20020174306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 19:02
S5	3	"20020147734"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 19:03
S6	2	"20020065835"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 19:04
S7	2	"6035351".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 19:05
S8	2	"5790886".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:53

## EAST Search History

S9	18490	data adj storage adj system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:39
S10	620	S9 and (data adj servers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:21
S11	5	S10 and (data adj profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:20
S12	39	S10 and (first adj storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:21
S13	33	S12 and (second adj storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:22
S14	13	S13 and (copy with data with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:34
S15	2	S14 and metadata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:22
S16	72300	(data adj storage adj system) or (data adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:39

## EAST Search History

S17	1108	S16 and (data adj center\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:40
S18	764	S17 and (server\$1 or (selection adj server\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:40
S19	5	S17 and (selection adj server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:41
S20	455	S18 and (data adj storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:41
S21	182	S20 and replicat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:41
S22	77	S21 and profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:42
S23	18	S21 and (profile near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:42
S24	16	S23 and directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:42

## EAST Search History

S25	15	S23 and (directory near2 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:43
S26	0	(distribut\$3 adj sata adj management)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:44
S27	234	(distribut\$3 adj data adj management)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:44
S28	62	S27 and replicat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:44
S29	45	S28 and (data adj storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:44
S30	2741	"45" and (server near3 select)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:44
S31	2741	S30 and (server near3 select)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:45
S32	1	S29 and (server near3 select)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:45

## EAST Search History

S33	45	S29 and server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:45
S34	6	S33 and (profile near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:45
S35	7591	data near2 replicat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:57
S36	3202	S35 and (data adj ((storage adj system) or system or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:54
S37	217	S36 and (data with profile with information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:54
S38	18	S37 and (selection with criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:54
S39	60	S35 and (first adj data adj storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:57
S40	57	S39 and (second adj data adj storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:57

## EAST Search History

S41	6	S40 and ((plural\$4 or multiple) near2 server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 18:58
S42	517	select\$4 near3 mirror\$4 near2 (site or location or storage or server or system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 12:28
S43	4	S42 and (data near2 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 12:29
S44	999	select\$4 near3 (replicat\$4 or mirror\$4) near2 (site or location or storage or server or system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 12:29
S45	10	S44 and (data near2 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 13:46
S46	34	interest adj metric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 13:46
S47	18511	data adj storage adj system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:59
S48	622	S47 and (data adj servers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:59

## EAST Search History

S49	39	S48 and (first adj storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:59
S50	33	S49 and (second adj storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:59
S51	2	"20020163910"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 19:36
S52	60950	distributed near2 system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 10:58
S53	13057	S52 and (profile or metadata or (meta adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 10:58
S54	1290	S53 and ((communicat\$4 or transmit\$4 or send\$4) near3 (profile or metadata or (meta adj data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:00
S55	62	S54 and (first near2 storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:00
S56	34	S55 and (second near2 storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:00

## EAST Search History

S57	29	S56 and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:00
S58	2	"20020163910"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 13:58
S59	46	interest adj metric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 18:04
S60	12	S59 and (data adj storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 18:41
S61	1	S60 and (second near3 storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 18:05
S62	4790	file near3 profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:40
S63	80	S62 and (first adj ((data adj storage) or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:40
S64	54	S63 and (second adj ((data adj storage) or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:41



## EAST Search History

S65	10	S64 and (profile near3 select\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:45
S66	68	file with metadata with (metadata adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:46
S67	298	(data or file) with metadata with (metadata adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:48
S68	21	S67 and ((data or file) near3 replicat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:48
S69	21	S68 and (metadata adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:48
S70	346	(data or file) with metadata with (metadata adj (list or table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:48
S71	21	S70 and ((data or file) near3 replicat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:48
S72	21	S71 and (metadata adj (list or table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 16:18

## EAST Search History

S73	2	S72 and (directory near3 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 16:19
S74	471	((data or file) adj replicat\$4) and (directory near3 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 16:21
S75	19	S74 and (metadata near2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 16:20
S76	115	S74 and (profile near2 (file or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 16:21
S77	107	S76 and ((file or data) near2 select\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 16:22
S78	107	S77 and (replicat\$4 near3 (file or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 16:23
S79	57	S78 and (directory adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 16:23
S80	57	S79 and (profile near2 (data or file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 10:41

## EAST Search History

S81	17	(transfer\$4 or communicat\$4 or send\$4) with (profile or metadata) with (second adj storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 10:51
S82	2	S81 and (replicat\$4 near3 (file or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 10:42
S83	6	(transfer\$4 or communicat\$4 or send\$4) with profile with (second adj storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 11:16
S84	92460	product near2 (information or profile or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 11:16
S85	4546	S84 and (send\$4 with (product naer2 (information or data or profile)) with (client or customer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 11:18
S86	454	S85 and ((select\$4 near2 product) with (product near2 (information or data or profile)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 11:19
S87	86	S86 and ((product near2 (information or profile or data)) with interest)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 11:20
S88	69	S87 and ((multiple or plural\$4) near3 (client or customer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 11:22

## EAST Search History

S89	67	S88 and (product adj (profile or data or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 11:41
S90	1	(data adj center) with (metadata adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 11:42
S91	1	(data adj center) same (metadata adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 11:42
S94	68	file with metadata with (metadata adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 11:43
S95	3	S94 and (data adj center)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 11:44
S96	12	S94 and ((data or file) near2 replicat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 11:51
S97	3	S94 and ((metadata adj table) near3 attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 11:45
S98	12770	(data or file) near3 replicat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 11:51

## EAST Search History

S99	239	S98 and ((metadata or attribute or profile) adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 12:19
S10 0	37	S99 and replicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 12:04
S10 1	434	S98 and (directory adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 12:20
S10 2	40	S99 and (directory adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 12:20
S10 3	1549	communicat\$4 with (data near2 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 13:30
S10 4	2	S103 and ((data or file) near2 replicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 13:20
S10 5	1154	S103 and (replicat\$4 nrae2 (component or module))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 13:20
S10 6	2	S103 and (replicat\$4 near2 (component or module))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 13:21

## EAST Search History

S107	5	S103 and (replicat\$4 near3 (component or module))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 13:21
S108	27	S103 and (data near3 replicat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 13:27
S109	1	S108 and (send\$4 with profile with second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 13:25
S110	14	S108 and (creat\$4 near3 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 13:27
S111	1047	(communicate or communicating) with ((information or data) near2 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 13:30
S112	1	S111 and (creat\$4 near3 (profile adj (data or information)) near3 file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 13:32
S113	6	S111 and (creat\$4 with (profile adj (data or information)) with file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 13:44
S114	72	(create or creating) near3 ((file or data) adj profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 13:53

## EAST Search History

S11 5	1	S114 and ((data or file) adj replicat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 13:46
S11 6	12	S114 and (profile with attribute\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 13:49
S11 7	72	(create or creating) near3 ((file or data) adj (meatadata or profile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 13:50
S11 8	7	S117 and ((communicat\$4 or send\$4 or receiv\$4) with (profile or metadata) with (first or second))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 13:53
S11 9	1069	(create or creating) near3 ((file or data) near2 (metadata or profile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 13:53
S12 0	158	S119 and ((communicat\$4 or send\$4 or receiv\$4) with (profile or metadata) with (first or second))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 13:54
S12 1	98	S120 and ((metadata or profile) with (attribute or property))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 13:55
S12 2	98	S121 and ((distribut\$4 or replicat\$4) nea3 (data or file or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 13:56

## EAST Search History

S12 3	57	S121 and ((distribut\$4 or replicat\$4) near3 (data or file or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 13:59
S12 4	36	S121 and (replicat\$4 near3 (data or file or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 13:59
S12 5	82207	(distribut\$4 near3 network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 14:25
S12 6	985	S125 and (distribut\$4 with (file or data) with (profile or metadata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 14:26
S12 7	302	S126 and (select\$4 with (file or data) with (profile or metadata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 14:27
S12 8	0	S127 and ((communicat\$4 or send\$4 or receiv\$4) with (profile or metadata) with ((first or second) adj (storage or store)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 14:28
S12 9	269	S127 and ((communicat\$4 or send\$4 or receiv\$4) with (profile or metadata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 14:29
S13 0	1	S129 and (first adj (storage or store))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 14:29



## EAST Search History

S13 1	6	(first adj storage) with creat\$4 with metadata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:03
S13 2	688	(metadata adj storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:03
S13 3	82	S132 and (data near3 replicat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:04
S13 4	13	S132 and ((data near3 replicat\$4) with metadata)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:05
S13 5	18	S132 and (metadata near3 replicat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:05
S13 6	5	S135 and (request\$4 near3 metadata)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:08
S13 7	861	(communicat\$4 near3 metadata)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:08
S13 8	247	S137 and (creat\$4 near3 metadata)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:09

## EAST Search History

S13 9	10	S138 and (first adj storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:09
S14 0	10	S139 and (Second adj storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:13
S14 1	756	(select\$4 near2 (file or data)) with metadata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:13
S14 2	3096	(select\$4 near2 (file or data)) with (metadata or profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:13
S14 3	1448	(select\$4 near2 (file or data)) near3 (metadata or profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:14
S14 4	4	S143 and ((send or communicat\$4) near3 metadata near3 client)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:16
S14 5	492	metadata adj server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:17
S14 7	176	S145 and (client near2 metadata)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:17

## EAST Search History

S14 8	35	S145 and (client near2 metadata near2 receiv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:24
S14 9	970	(distributed with (data adj management))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:25
S15 0	20	S149 and (first adj storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:25
S15 1	14	S150 and (Second adj storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:28
S15 2	65	S149 and ((metadata or policy or profile) near3 (storage or server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:36
S15 3	30	S152 and (data near2 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:39
S15 4	176	(data adj object) near3 profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:39
S15 5	135	(data adj object) near2 profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:48

## EAST Search History

S157	23	client adj receiv\$4 adj (metadata or profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 16:52
S158	2	"20050216428"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 18:57
S159	9263	profile near3 object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 17:50
S160	1040	(creat\$3 or generat\$3 or produc\$3) near3 profile near3 object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 17:51
S161	10	((creat\$3 or generat\$3 or produc\$3) near3 profile near3 object) same (first adj3 (storage or system or server or database or computer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 17:52
S162	4	S161 and ((transmit\$4 or transfer\$4 or send\$3 or communicat\$4) with (second adj (storage or server or computer or system or database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 17:53
S163	3920	communicat\$3 with (profile near3 (data or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 15:54
S164	5	S163 and (select\$4 with second with (data or file) with transfer with first)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 16:00

## EAST Search History

S16 5	0	calculat\$4 near5 (selection near3 indication) near5 second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 16:00
S16 6	9	calculat\$4 with (selection near3 indication) with second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 16:05
S16 7	27	select\$4 with profile with second with transfer with (data or file or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 16:06
S16 8	173791	distribut\$4 near3 (data or file or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 14:05
S16 9	1081	S168 and (storage near5 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 13:58
S17 0	11	S169 and (metric with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 13:59
S17 2	8	S170 and (storage with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 13:59
S17 3	120710	distribut\$4 near3 (data or file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 14:11

## EAST Search History

S17 4	4908	S173 and (selection near3 (obtain\$4 or receiv\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 14:05
S17 5	28	S174 and (interest with metric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 14:06
S17 6	22	S175 and ((multiple or plural\$3) near3 (server or storage or center or system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 14:06
S17 7	18272	S173 and (storage with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 14:11
S17 8	1739	S177 and (first with storage with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 14:12
S17 9	1107	S178 and (second with storage with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 14:12
S18 0	9	S179 and replicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 14:15
S18 1	117	S177 and replicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 14:15

## EAST Search History

S18 2	53	S181 and (select\$4 near3 (data or file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 14:16
S18 3	12	S182 and metric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:00
S18 4	1	S182 and (metric same threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 14:16
S18 5	1	select\$4 with from with second with first with (data or file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:01
S18 6	70388	select\$4 with second with first with (data or file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:02
S18 8	4875	S186 and (generat\$4 with selection with second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:04
S18 9	260	S186 and (generat\$4 with selection with second with transfer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:05
S19 0	76	S186 and (generat\$4 with (selection near3 second) with transfer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:06

## EAST Search History

S19 1	5253	select\$4 with second with (file or data) with transfer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:06
S19 2	109	S191 and (distributing near3 (data or file or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:07
S19 3	6	S192 and (second with storage with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:08
S19 4	130	S191 and (select\$4 adj5 second adj3 storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:09
S19 5	10	S191 and (select\$4 adj5 second adj3 storage adj5 transfer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:12
S19 6	992	request\$4 adj5 (data or file or information) adj5 second adj5 first	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:20
S19 7	7	(communicat\$4 near3 (profile near2 (data or information))) adj5 (second adj3 (storage or system or server or computer or client or user or customer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:23
S19 8	58	send\$4 adj5 (data or file) adj5 request adj5 (first adj3 (server or system or computer or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:29



## EAST Search History

S19 9	23	second adj5 send\$4 adj5 (data or file) adj5 request adj5 first	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:37
S20 0	1099	second adj5 request\$4 adj5 (data or file) adj5 first	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:38
S20 1	3	(second adj5 request\$4 adj5 (data or file) adj5 first) with selection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:41
S20 2	154	(communicat\$4 or shar\$4 or send\$3) adj5 profile adj5 second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:45
S20 3	14	(communicat\$4 or send\$3 or trans\$3) adj5 profile adj5 second adj5 (storage or server or system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 16:20
S20 4	2	"20050210041"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 16:22
S20 5	2	"20050216428"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 16:22